CONTENTS

LIST OF MAIN SYMBOLS AND ABBREVIATIONS **9**
PREFACE **14**
INTRODUCTION **16**
CHAPTER 1. ANALYTICAL REVIEW AND CRITICAL ANALYSIS OF THE SCIENTIFIC FOUNDATIONS OF COMBINED EXTRACTION, ACCUMULATION AND STORAGE OF ENERGY RESOURCES **19**
1.1. World geothermal energy: resources, structure of use and trends 19
1.2. Oil and gas wells as geoenergy facilities: experience of conversion and co-production 22
1.2.1. Scale of the well stock and classification of approaches 22
1.2.2. Open systems and co-production 23
1.2.3. Closed systems in abandoned wells for power generation 25
1.2.4. Direct heat supply and reconstruction of wells 27
1.2.5. Economic and technical barriers 28
1.3. Wellbore heat transfer and non-isothermal lifting: from classical to transient models 31
1.3.1. Classical models of wellbore temperature 31
1.3.2. Hydraulics of gas and gas–liquid wells 32
1.3.3. Modern transient models 33
1.3.4. Neglected factors and how they are overcome in the monograph 34
1.4. Downhole and deep borehole heat exchangers 36
1.4.1. Classical downhole heat exchangers and the first models 36
1.4.2. Coaxial deep heat exchangers and thermal insulation 37
1.4.3. U-shaped and closed systems with developed geometry 38
1.4.4. Coefficient of performance, thermal resistance and geometric topology 40
1.5. Heat and mass transfer in the reservoir and near-wellbore zone: non-isothermal filtration, Joule–Thomson and Klinkenberg effects 42
1.5.1. Numerical simulators and models of geothermal reservoirs 42
1.5.2. Thermophysical properties of rocks 43
1.5.3. Joule–Thomson effect and temperature transient analysis 44
1.5.4. Gas slippage (Klinkenberg effect) in tight and depleted rocks 45
1.5.5. Unresolved issues for heat-carrier circulation regimes 45
1.6. Non-isothermal pipeline networks: hydraulic circuit theory, graph models and hydrate formation 46
1.6.1. Hydraulic circuit theory and graph models of flow distribution 46
1.6.2. Non-isothermal and transient thermal models of gas pipelines 47
1.6.3. Integrated multi-energy networks 49
1.6.4. Hydraulic resistance: from Colebrook to multi-range non-isothermal formulas 49
1.6.5. Hydrate formation and its prevention 50
1.6.6. Bond graphs, electro-hydraulic analogy and the gap in formalizing the network as a heat exchanger 51
1.7. Underground storage of heat, gas and hydrogen; CO_2-based geothermal systems 52
1.7.1. Heat storage in aquifers and borehole fields 52
1.7.2. Heat storage in depleted oil and gas reservoirs 53

1.7.3. Underground gas storage: thermal and thermomechanical regimes 53
1.7.4. Underground hydrogen storage in porous media 54
1.7.5. CO_2-based geothermal systems and multifunctional underground hubs 55
1.8. Nanotechnologies for heat transfer enhancement in geothermal systems 58
1.8.1. Nanofluids: thermal conductivity enhancement and its limits 58
1.8.2. Coatings for protection against corrosion and scaling and for thermal insulation 59
1.9. Digital twins and machine learning methods for gas fields, networks and geothermal systems 60
1.10. Geothermal resources of Ukraine and the Dnipro-Donets Basin; techno-economic prerequisites 63
1.11. Critical analysis and formulation of the scientific problem 67
1.11.1. Generalization of the state of research 67
1.11.2. Scientific problem, working hypothesis, object and subject 71
1.11.3. Logic of the research 72
CHAPTER 2. COMBINED "FLUID – GEOTHERMAL HEAT" EXTRACTION: STATE OF THE PROBLEM AND METHODOLOGICAL PLATFORM 76
2.1. An oil and gas field well as a geoenergy system 76
2.2. Experimental benchmarks of heat output 76
2.3. Basic relationships for the properties of the hydrocarbon heat carrier 77
2.4. Basic equations of the "reservoir – near-wellbore zone – well" system 78
2.5. The thermomechanical effect and Onsager relations 79
2.6. Limitations of existing approaches 80
2.7. Methodological platform of the research 81
CHAPTER 3. PHENOMENOLOGICAL MODEL OF THE WELL GEOTHERMAL SYSTEM FOR COMBINED EXTRACTION 83
3.1. Principle of model construction 83
3.2. Process flow diagram of an open single-well system with sidetracks 83
3.3. Diagram of energy and heat-carrier transformation and motion 84
3.4. Phenomenological model 85
3.5. Mathematical model of the system of subprocesses 87
3.6. Criteria of rationality of the WGS operating regime 88
3.7. Schemes of combined production, storage and utilization 89
CHAPTER 4. HEAT AND MASS TRANSFER IN THE RESERVOIR ROCK AND THE NEAR-WELLBORE ZONE 92
4.1. Simplified model of heat inflow to the bottomhole from a relatively thin reservoir 92
4.2. Model of the geothermal reservoir of a gas condensate well with variable rock thermal conductivity 92
4.3. Combined action of the Klinkenberg and Joule–Thomson effects in the near-wellbore zone 93
4.4. Thin-layer reservoir "disc" model with centrifugal filtration and throttling heat pumping 95
4.5. Long-term forecast of the "reservoir – near-wellbore zone – well" system performance 98
4.6. Geothermal–hydrocarbon fluid recovery factor 99

CHAPTER 5. NON-ISOTHERMAL LIFTING OF GEOTHERMAL–HYDROCARBON FLUID 101
5.1. Lifting model with a dynamic heat transfer coefficient 101
5.2. System of lifting equations for a vertical and an inclined string 101
5.3. Implicit combined equation of inflow, lifting and pool depletion 102
5.4. Interaction of head losses and thermal energy losses 103
5.5. Modified Adamov formula for inclined wellbores and wet gas 105
5.6. Adaptive technological-mathematical model of gas condensate–geothermal field development 106
5.7. Field verification: wellhead temperatures of Lanivske GCF wells 107
5.8. Oil as a heat-transfer fluid: refinement of the integral-mean density in the string 108
CHAPTER 6. DOWNHOLE HEAT EXCHANGERS: GEOMETRIC TOPOLOGY AND COEFFICIENT OF PERFORMANCE 110
6.1. Problem statement 110
6.2. Model of a straight element (topologies I–II) 110
6.3. Cluster topologies: “squirrel-cage wheel” and “meridian sphere” (types III–IV) 111
6.4. Influence of topology parameters on COP 112
6.5. Two-layer bond graph of the downhole network 114
6.6. Heat transfer enhancement by nanofluids and nanocoatings 114
CHAPTER 7. NON-ISOTHERMAL TRANSPORT OF GAS–LIQUID MIXTURES AND THE GAS-DYNAMIC HEAT PUMP EFFECT IN FIELD GATHERING NETWORKS 116
7.1. System of equations for non-isothermal gas–liquid mixture flow with internal convective heat transfer 116
7.2. Pressure drop and hydraulic resistance 117
7.3. Comparison with known formulas and field validation 118
7.4. Mathematical model of a multi-line network based on the electro-hydraulic analogy 119
7.5. The gas-dynamic heat pump effect 121
7.6. Field experiment at the Yuliivske OGCF 122
7.7. Software implementation: incidence matrix and two-layer iterative coupling of the hydraulic and thermodynamic layers 124
7.7.1. Network graph and incidence matrix 124
7.7.2. Hydraulic layer 125
7.7.3. Thermodynamic layer 126
7.7.4. Two-layer iterative coupling 127
7.7.5. Seasonal regulation of accumulation and withdrawal in forecasting mode 128
7.7.6. Connecting the relationships of the monograph and verification against field data 128
7.7.7. Improved algorithm of the computational core and its novel elements 137
CHAPTER 8. TECHNOLOGICAL APPLICATIONS OF COMBINED “FLUID – GEOTHERMAL HEAT” PROCESSES 144
8.1. Hydrate-free gas injection with an in-well geothermal heat exchanger 144
8.2. Stimulation of gaseous fluid production with foaming surfactants 146

8.3. Single-well system for stimulating viscous oil production with coaxial geothermal heat exchange 147
8.4. Hydraulic fracturing of the reservoir heat exchanger taking the Rehbinder effect into account 149
8.5. Geothermal enhanced oil recovery: nanotechnologies and sensor monitoring 150
CHAPTER 9. GEOTHERMAL POTENTIAL OF DNIPRO-DONETS BASIN WELLS AND TECHNICAL AND ECONOMIC SOLUTIONS 152
9.1. Heat output of wells in the Carboniferous deposits of the DDB 152
9.2. Process flow diagram of geothermal heat supply with four thermal potentials 153
9.3. Repurposing of idle wells of the Yefremivske GCF into geothermal doublets 155
9.4. Geothermal gas heating at an underground gas storage facility 156
9.5. Industrial energy site based on a geothermal-hydrocarbon well 157
CHAPTER 10. DEVELOPMENT OF THE CONCEPT: TWO-LAYER GEOTHERMAL SYSTEMS, SEASONAL THERMAL ENERGY STORAGE AND GEOTHERMAL-HYDROGEN HUBS 159
10.1. Two-layer geothermal doublet with a controlled thermodynamic sink 159
10.2. Two-layer thermodynamic “bridge” with in-well heat conversion 161
10.3. Seasonal underground thermal energy storage in depleted reservoirs with a nano-insulated belt 162
10.4. Integration with bioenergy and underground gas storage 164
10.5. The GeoNano-H_2 Loop geothermal-hydrogen loop and scale-up prospects 164
CHAPTER 11. ENGINEERING DESIGN PROCEDURE FOR A COMBINED WELL GEOTHERMAL SYSTEM 166
11.1. Calculation sequence 166
11.2. Well selection criteria 167
11.3. Worked example: a water geothermal doublet in an oil and gas area 167
11.4. Monitoring and model adaptation 168
11.5. Limits of applicability of the procedure 169
CHAPTER 12. SCIENTIFIC CONTRIBUTION: A CONCISE STATEMENT 170
12.1. Scientific problem and overall result 170
12.2. Main scientific propositions 171
12.3. Established regularities 177
12.4. Relation to the results of the 2021 dissertation and new results of 2021–2026 179
12.5. Contribution to science by level 181
CHAPTER 13. PRACTICAL OUTPUT OF THE RESULTS: IMPLEMENTATION, TECHNOLOGICAL SOLUTIONS, SOFTWARE TOOLS 184
13.1. Structure of the practical output 184
13.2. Field implementations and tests 187
13.2.1. Route gas-dynamic heat pump at the Yuliivske OGCF 187
13.2.2. UkrNDIgaz implementation certificate 188
13.2.3. LLC “Karpatygaz” implementation certificate 188
13.2.4. Verification of the wellhead temperature model at the Lanivske GCF 189
13.2.5. Production stimulation with foaming surfactants at the Shebelynske and Zakhidno-Khrestyshchenske GCF 189

13.2.6. Field verification of lifting and transport calculation methods 190
13.3. Calculation of the economic effect 191
13.3.1. Methodological principles 191
13.3.2. Yefremivske GCF: conversion of idle wells into geothermal doublets 191
13.3.3. Proletarske UGS: geothermal gas heating during the withdrawal season 192
13.3.4. Summary of economic effect indicators 193
13.4. Technological solutions and schemes ready for implementation 194
13.4.1. Hydrate-free gas injection with an in-well geothermal heat exchanger 195
13.4.2. Single-well stimulation of viscous oil production with coaxial geothermal heat exchange 195
13.4.3. Hydraulic fracturing of the heat-exchanger reservoir accounting for the Rehbinder effect 196
13.4.4. Geothermal enhanced oil recovery with nanotechnologies and sensor monitoring 196
13.4.5. Geothermal heat supply with four thermal potentials 197
13.4.6. Repurposing of idle wells of the Yefremivske GCF 197
13.4.7. Geothermal gas heating at an underground gas storage facility 197
13.4.8. Field energy site based on a geothermal-hydrocarbon well 198
13.4.9. Two-layer geothermal doublet 198
13.4.10. Seasonal underground thermal energy storage in depleted reservoirs 198
13.4.11. Integration with bioenergy and underground gas storage 199
13.5. NetLab software package and digital tools 200
13.5.1. Purpose and architecture 200
13.5.2. Linking the relationships of the monograph 201
13.5.3. Results of validation against field data 201
13.5.4. Ready-made examples and limitations of the current version 202
13.5.5. Other digital tools 203
13.6. Engineering method and regulatory and methodological support 203
13.7. Use in education and personnel training 204
13.8. Prospects for scaling up in Ukraine 205
13.8.1. Resource base 205
13.8.2. Economic conditions for scaling up 206
13.8.3. Scaling-up sequence 206
CHAPTER 14. PROSPECTIVE DIRECTIONS OF RESEARCH DEVELOPMENT: SCIENCE AND PRACTICE 209
14.1. Well-based underground “heat – gas – hydrogen” energy hubs 210
14.2. Seasonal thermal energy storage in depleted reservoirs and watered-out horizons with controlled regulation of injection–withdrawal 213
14.3. CO_2-based geothermal systems and combined storage of CO_2 and heat in depleted reservoirs 215
14.4. Closed-loop downhole heat exchangers of advanced topology and nanofluids/nanocoatings 217
14.5. Networks as distributed heat exchangers: control of the hydrate regime and the gas-dynamic heat pump in field and UGS networks 220
14.6. Digital twins and physics-informed models based on NetLab 222
14.7. By-product recovery of critical minerals (lithium) from formation waters in geothermal cycles 224

14.8. Geomechanics and stimulation: hydraulic fracturing of the reservoir heat exchanger taking the Rehbinder effect into account 226
14.9. Research roadmap 227
CONCLUSIONS 231
REFERENCES 236
APPENDIX A. KEY MODULE OF THE NETWORK THERMAL AND GAS-HYDRODYNAMIC CALCULATION OF THE NETLAB PACKAGE 269
APPENDIX B. SEGMENT ELEMENTS IMPLEMENTING THE RELATIONS OF THE MONOGRAPH, AND A VERIFICATION CALCULATION 274
B.1. Module netlab/fyk_elements.py 274
B.2. Re-computation of the field experiment at the Yuliivske OGCF 282
B.3. Verification of the lifting model against the wellhead temperatures of the Lanivske GCF wells 287
B.4. Unit checks of the elements 289
B.5. Verification of the reservoir heat-exchanger element on a liquid doublet 292
APPENDIX C. SIMPLIFIED ENGINEERING MODELS FOR THE WORKED EXAMPLE OF CHAPTER 11 294